


## AMENDMENTS TO THE CLAIMS

Claim 1. (Original) Compound of formula



wherein

$R_1$  and  $R_2$ , independently of one another, are halogen,  $C_1$ - $C_6$ -alkyl,  $C_3$ - $C_6$ -cycloalkyl, halogen- $C_1$ - $C_6$ -alkyl, halogen- $C_3$ - $C_6$ -cycloalkyl,  $C_2$ - $C_4$ -alkenyl,  $C_2$ - $C_4$ -alkinyl, halogen- $C_2$ - $C_4$ -alkenyl, halogen- $C_2$ - $C_4$ -alkinyl,  $C_1$ - $C_6$ -alkoxy, halogen- $C_1$ - $C_6$ -alkoxy,  $C_2$ - $C_6$ -alkenyloxy,  $C_2$ - $C_6$ -alkinyloxy, halogen- $C_2$ - $C_6$ -alkenyloxy, halogen- $C_2$ - $C_6$ -alkinyloxy,  $-SF_5$ ,  $-C(=O)N(R_5)_2$ ,  $-O-C(=O)N(R_5)_2$ ,  $-CN$ ,  $-NO_2$ ,  $-S(=O)_2N(R_5)_2$ ,  $-S(=O)_p-C_1-C_6$ -alkyl,  $-S(=O)_p$ -halogen- $C_1-C_6$ -alkyl,  $-O-S(=O)_p-C_1-C_6$ -alkyl,  $-O-S(=O)_p$ -halogen- $C_1-C_6$ -alkyl, phenyl, benzyl, phenoxy or benzyloxy, wherein each of the phenyl, benzyl, phenoxy or benzyloxy radicals is either unsubstituted or mono- to penta-substituted in the aromatic ring, independently of each other, by substituents selected from the group consisting of halogen, cyano,  $NO_2$ ,  $C_1$ - $C_6$ -alkyl, halogen- $C_1$ - $C_6$ -alkyl,  $C_1$ - $C_6$ -alkoxy and halogen- $C_1$ - $C_6$ -alkoxy;

$R_3$  is hydrogen, OH, halogen,  $C_1$ - $C_6$ -alkoxy, or  $-O-C(=O)-C_1-C_6$ -alkyl;

$R_4$  is  $C_1$ - $C_6$ -alkyl, halogen- $C_1$ - $C_6$ -alkyl,  $C_3$ - $C_6$ -cycloalkyl, halogen- $C_3$ - $C_6$ -cycloalkyl,  $C_3$ - $C_6$ -cycloalkoxy, halogen- $C_1$ - $C_6$ -alkoxy,  $C_2$ - $C_4$ -alkenyl,  $C_2$ - $C_4$ -alkinyl, halogen- $C_2$ - $C_4$ -alkenyl, halogen- $C_2$ - $C_4$ -alkinyl,  $C_1$ - $C_6$ -alkoxy, halogen- $C_1$ - $C_6$ -alkoxy,  $C_2$ - $C_6$ -alkenyloxy,  $C_2$ - $C_6$ -alkinyloxy, halogen- $C_2$ - $C_6$ -alkenyloxy, halogen- $C_2$ - $C_6$ -alkinyloxy,  $-C(=O)-C_3-C_6$ -alkyl,  $-C(=O)$ -halogen- $C_1-C_6$ -alkyl,  $-C(=O)-OC_1-C_6$ -alkyl,  $-C(=O)-O$ -halogen- $C_1-C_6$ -alkyl,  $-NR_6-C(=O)-O-C_1-C_6$ -alkyl,  $-NR_6-C(=O)-O$ -halogen- $C_1-C_6$ -alkyl,  $-C(=O)N(R_5)_2$ ,  $-O-C(=O)N(R_5)_2$ ,  $-CN$ ,  $-NO_2$ ,  $-S(=O)_2N(R_5)_2$ ,  $-S(=O)_p-C_1-C_6$ -alkyl,  $-S(=O)_p$ -halogen- $C_1-C_6$ -alkyl,  $-O-S(=O)_p-C_1-C_6$ -alkyl,  $-O-S(=O)_p$ -halogen- $C_1-C_6$ -alkyl;

benzyl, phenoxy, benzyloxy; or phenyl, benzyl, phenoxy or benzyloxy which is mono- to penta-substituted, independently of each other, by substituents selected from the group consisting of halogen, cyano, NO<sub>2</sub>, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl-C<sub>1</sub>-C<sub>6</sub>-alkyl, halogen-C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>3</sub>-C<sub>8</sub>-cycloalkoxy, C<sub>3</sub>-C<sub>8</sub>-cycloalkoxy-C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl-C<sub>1</sub>-C<sub>6</sub>-alkoxy, halogen-C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>2</sub>-C<sub>4</sub>-alkenyl, C<sub>2</sub>-C<sub>4</sub>-alkinyl, halogen-C<sub>2</sub>-C<sub>4</sub>-alkenyl, halogen-C<sub>2</sub>-C<sub>4</sub>-alkinyl, C<sub>2</sub>-C<sub>6</sub>-alkenyloxy, C<sub>2</sub>-C<sub>6</sub>-alkinyloxy, halogen-C<sub>2</sub>-C<sub>6</sub>-alkenyloxy, halogen-C<sub>2</sub>-C<sub>6</sub>-alkinyloxy, -NR<sub>6</sub>-C(=O)-O-C<sub>1</sub>-C<sub>6</sub>-alkyl, -NR<sub>6</sub>-C(=O)-O-C<sub>2</sub>-C<sub>6</sub>-alkenyl, -NR<sub>6</sub>-C(=O)-O-halogen-C<sub>1</sub>-C<sub>6</sub>-alkyl, -C(R<sub>7</sub>)=N-W-R<sub>8</sub>, phenyl, benzyl, phenoxy, benzyloxy, heterocyclyl and heterocyclyloxy, wherein, depending on the substitution possibility on the ring, the heterocyclyl and heterocyclyloxy radicals are optionally mono- to trisubstituted by substituents selected from the group consisting of halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, halogen-C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, halogen-C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl-C<sub>1</sub>-C<sub>6</sub>-alkyl, cyano-C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-alkenyl, C<sub>3</sub>-C<sub>6</sub>-alkinyl, phenyl or benzyl;

the two R<sub>5</sub> independently of one another, are hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl;

R<sub>6</sub> is hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl or benzyl;

R<sub>7</sub> is halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl-C<sub>1</sub>-C<sub>6</sub>-alkyl, halogen-C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>3</sub>-C<sub>8</sub>-cycloalkoxy, C<sub>3</sub>-C<sub>8</sub>-cycloalkoxy-C<sub>1</sub>-C<sub>6</sub>-alkyl, halogen-C<sub>1</sub>-C<sub>6</sub>-alkoxy, -NH(C<sub>1</sub>-C<sub>6</sub>-alkyl) or -N(C<sub>1</sub>-C<sub>6</sub>-alkyl)<sub>2</sub>;

R<sub>8</sub> is hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl-C<sub>1</sub>-C<sub>6</sub>-alkyl, halogen-C<sub>1</sub>-C<sub>6</sub>-alkyl or -C(=O)-C<sub>1</sub>-C<sub>6</sub>-alkyl;

m is 0, 1, 2, 3, 4 or 5;

n is 0, 1, 2, 3, 4 or 5;

p is 0, 1 or 2;

q is 0 or 1

W is O or NH or N-C<sub>1</sub>-C<sub>6</sub>-alkyl;

and, if appropriate, the E/Z isomers, E/Z isomeric mixtures and/or tautomers thereof, each in free form or in salt form;

Claim 2. (Original) A compound of formula (I) according to claim 1, in free form.

Claim 3. (Currently Amended) A compound of formula (I) according to ~~one of claims 1 or 2~~ claim 1, wherein R<sub>1</sub> and R<sub>2</sub>, independently of each other, are halogen, C<sub>1</sub>-C<sub>2</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, halogen-C<sub>1</sub>-C<sub>2</sub>-alkyl, C<sub>1</sub>-C<sub>2</sub>-alkoxy, halogen-C<sub>1</sub>-C<sub>2</sub>-alkoxy, -C(=O)N(CH<sub>3</sub>)<sub>2</sub>, -CN or -NO<sub>2</sub>

Claim 4. (Currently Amended) A compound of formula (I) according to ~~one of claims 1 to 3~~ claim 1, in which R<sub>3</sub> is hydrogen, OH, halogen or C<sub>1</sub>-C<sub>6</sub>-alkoxy.

Claim 5. (Currently Amended) A compound of formula (I) according to ~~one of claims 1 to 4~~ claim 1, wherein

R<sub>4</sub> is C<sub>1</sub>-C<sub>2</sub>-Alkyl, halogen-C<sub>1</sub>-C<sub>2</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkoxy, halogen-C<sub>1</sub>-C<sub>2</sub>-alkoxy, C<sub>2</sub>-C<sub>4</sub>-alkenyl, C<sub>2</sub>-C<sub>4</sub>-alkinyl, C<sub>1</sub>-C<sub>2</sub>-alkoxy, halogen-C<sub>1</sub>-C<sub>2</sub>-alkoxy, -C(=O)-C<sub>3</sub>-C<sub>6</sub>-alkyl, -C(=O)-halogen-C<sub>1</sub>-C<sub>2</sub>-alkyl, -C(=O)-OC<sub>1</sub>-C<sub>2</sub>-alkyl, -C(=O)-O-halogen-C<sub>1</sub>-C<sub>2</sub>-alkyl, -NH-C(=O)-O-C<sub>1</sub>-C<sub>2</sub>-alkyl, -NH-C(=O)-O-halogen-C<sub>1</sub>-C<sub>2</sub>-alkyl, -C(=O)N(R<sub>5</sub>)<sub>2</sub>, -CN, -S(=O)<sub>2</sub>N(R<sub>5</sub>)<sub>2</sub>, -S(=O)<sub>p</sub>-C<sub>1</sub>-C<sub>2</sub>-alkyl, -S(=O)<sub>p</sub>-halogen-C<sub>1</sub>-C<sub>2</sub>-alkyl, -O-S(=O)<sub>p</sub>-C<sub>1</sub>-C<sub>6</sub>-alkyl, -O-S(=O)<sub>p</sub>-halogen-C<sub>1</sub>-C<sub>6</sub>-alkyl;

benzyl, phenoxy, benzyloxy; or phenyl, benzyl, phenoxy or benzyloxy which, independently of each other, is mono- to penta-substituted by substituents selected from the group consisting of halogen, cyano, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl-C<sub>1</sub>-C<sub>6</sub>-alkyl, halogen-C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>3</sub>-C<sub>8</sub>-cycloalkoxy, C<sub>3</sub>-C<sub>8</sub>-cycloalkoxy-C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl-C<sub>1</sub>-C<sub>6</sub>-alkoxy, halogen-C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>2</sub>-C<sub>4</sub>-alkenyl, C<sub>2</sub>-C<sub>4</sub>-alkinyl, C<sub>2</sub>-C<sub>6</sub>-alkenyloxy, C<sub>2</sub>-C<sub>6</sub>-alkinyloxy, -NH-C(=O)-O-C<sub>1</sub>-C<sub>6</sub>-alkyl, -NH-C(=O)-O-halogen-C<sub>1</sub>-C<sub>6</sub>-alkyl, -C(R<sub>7</sub>)=N-W-R<sub>8</sub>, phenyl, benzyl, phenoxy, benzyloxy, heteroaryl and heteroaryloxy, wherein the heteroaryl and heteroaryloxy radicals are optionally substituted by C<sub>1</sub>-C<sub>4</sub>-alkyl.

Claim 6. (Original) A pesticidal composition comprising at least one compound of formula (I) according to claim 1 as active ingredient, either in

free form or in the form of an agrochemically acceptable salt, and at least one adjuvant.

Claim 7. (Original) Method of producing a composition as described in claim 6, in which the active ingredient is intimately mixed with the adjuvant(s).

Claim 8. (Currently Amended) A method for the control of pests in which a compound of formula (I) according to ~~one of claims 1 to 4~~ claim 1 as the active ingredient is applied, in free form or optionally in the form of an agrochemically acceptable salt, to pests or their habitat.

Claim 9. Cancelled